

 **KOLUMAN**
TECH





INNOVATION
is the solution

INDEX

- 02** Koluman
- 04** Derman Drops 8x8
- 06** Derman Tractor Truck 8x8
- 08** Derman Armored Recovery Vehicle
- 10** Derman Armored Refueler
- 12** Derman Soft Cabin TWV
- 14** Armored TWV
- 16** Kısırak TWV

KOLUMAN

**STRONG
LEGACY**

**INNOVATIVE
TECHNOLOGY**

With over 60 years of experience in the automotive, engineering, and manufacturing industries, Koluman Holding has been one of Turkey's leading companies. Drawing on this extensive expertise, KolumanTech delivers innovative solutions for the defense industry.

By combining Koluman Holding's deep-rooted engineering experience with cutting-edge technology, we continue to manufacture durable, reliable, and high-performance defense solutions, carrying our 60 years of strength and expertise into the future.

OUR FACTORY

60 YEARS
OF EXPERIENCE

312.000 m²
FACTORY OPERATING AREA

80.000 m²
PRODUCTION FACILITY

45 COUNTRIES
EXPORT

5.500
UNIT PER YEAR

979

TOTAL NUMBER
OF EMPLOYEES

267

OFFICE EMPLOYEES
WHITE COLLAR

707

PRODUCTION WORKER
BLUE COLLAR

THE CARRIER FORCE
OF DEFENSE

DERMAN

DROPS 8x8



DERMAN DROPS 8X8

TECHNICAL SPECIFICATIONS



KERB WEIGHT	: 23.470 kg	NUMBER OF SEATS	: 1+2
GROSS VEHICLE WEIGHT	: 48.000 kg	TURNING DIAMETER	: 26,5m ± 0,5m
PAYLOAD	: 24.530 kg	FORDING DEPTH	: 800 mm
CABIN TYPE	: Single row, Armored Cabin	GRADIENT	: 31° (%60)
		SIDE SLOPE	: 16,7° (%30)



BUILT TO CARRY,
MADE TO DOMINATE

DERMAN

8X8 TRACTOR TRUCK



DERMAN 8X8 TRACTOR TRUCK

TECHNICAL SPECIFICATIONS



KERB WEIGHT	: 22.500 kg	TURNING DIAMETER	: appr. 24,8m ± 0,5m
GROSS VEHICLE WEIGHT	: 48.000 kg	FORDING DEPTH	: 800 mm
PAYLOAD	: 25.500 kg		More on request, up to 1.200mm
CABIN TYPE	: Armored	GRADIENT	: 31° (%60)
	: Unarmored	SIDE SLOPE	: 16,7° (%30)
NUMBER OF SEATS	: 2 (option: 3)		



READY TO RESCUE,
BUILT TO LAST

DERMAN

8x8 ARMORED RECOVERY VEHICLE

8X8 ARMORED RECOVERY VEHICLE

TECHNICAL SPECIFICATIONS



KERB WEIGHT	: 46.200 kg	TURNING DIAMETER	: 29,5m ± 0,5m
GROSS VEHICLE WEIGHT	: 50.000 kg	FORDING DEPTH	: 900 mm
GROSS COMBINE WEIGHT	: 120.000 kg	GRADIENT	: 31° (%60)
CABIN TYPE	: Armored	SIDE SLOPE	: 16,7° (%30)
NUMBER OF SEATS	: 4+1 (person)		



RELIABLE SUPPLY,
ROBUST PERFORMANCE

DERMAN

8X8 ARMORED REFUELER



8X8 ARMORED REFUELER

TECHNICAL SPECIFICATIONS



KERB WEIGHT	: 24.200 kg	TURNING DIAMETER	: 26,0m ± 0,5m
GROSS VEHICLE WEIGHT	: 38.000 kg	FORDING DEPTH	: 800 mm
PAYLOAD	: 13.800 kg	GRADIENT	: 31° (%60)
CABIN TYPE	: Armored	SIDE SLOPE	: 16,7° (%30)
NUMBER OF SEATS	: 3 person		



ERGONOMIC DESIGN FOR
EXTENDED MISSIONS

DERMAN

SOFT CABIN TWV

SOFT CABIN TWV

TECHNICAL SPECIFICATIONS



KERB WEIGHT	: 13,5-14,4 ton	TURNING DIAMETER	: 25,5m - 29,5m ± 0,5m
GROSS VEHICLE WEIGHT	: Up to 50.000 kg	FORDING DEPTH	: up to 1.200mm
PAYLOAD	: 36,5-35,6 ton	GRADIENT	: 31° (%60)
CABIN TYPE	: Unarmored	SIDE SLOPE	: 16,7° (%30)
NUMBER OF SEATS	: 3 person		



SHIELDED POWER,
ABSOLUTE SECURITY


DERMAN

ARMORED TWV



ARMORED TWV

TECHNICAL SPECIFICATIONS



KERB WEIGHT	: 16-17 ton	TURNING DIAMETER	: 25,5m - 29,5m ± 0,5m
GROSS VEHICLE WEIGHT	: Up to 50.000 kg	FORDING DEPTH	: Up to 11200mm
PAYLOAD	: 34-33 ton	GRADIENT	: 31° (%60)
CABIN TYPE	: Ballistic protected Stanag 4569	SIDE SLOPE	: 16,7° (%30)
NUMBER OF SEATS	: 5 person		



THE BACKBONE OF
TACTICAL OPERATIONS

KISRAK

TWV 4X4



KISRAK TWV 4X4

TECHNICAL SPECIFICATIONS



KERB WEIGHT	: 8.250 kg	TURNING DIAMETER	: 16,8m ± 0,5m
GROSS VEHICLE WEIGHT	: 14.800 kg	FORDING DEPTH	: 1.200mm
PAYLOAD	: 6.550 kg	GRADIENT	: 31° (%60)
CABIN TYPE	: Double Row, Soft Cabin	SIDE SLOPE	: 16,7° (%30) Depends on body
NUMBER OF SEATS	: 7 Cabin + 6 Platform Total 13 person		





KOLUMAN

KOLUMAN
TECH

+90 324 651 00 20 savunma@koluman.com

+90 324 651 46 02 www.kolumantech.com

Koluman Otomotiv Endüstri A.Ş. Şahin Mh. Sait Polat Blv.
No:386/C 33800 Tarsus - MERSİN/TÜRKİYE